

Message

From: Mcaleer, Shane [Mcaleer.Shane@epa.gov]
Sent: 10/27/2020 2:25:55 PM
To: Pratt, Stacie [Pratt.Stacie@epa.gov]
Subject: RE: Travel Request

Received, thanks

I just noticed that I did not include the header for the travel justification to karen
Thank you for including that in the email you sent to her

Shane M. McAleer, P.E.
Environmental Engineer / Inspector
NPDES Section
Water Branch, Enforcement & Compliance Assurance Division
U.S. EPA Region III
1650 Arch Street
Philadelphia, PA 19103
Direct (215) 814-5616
mcaleer.shane@epa.gov

From: Melvin, Karen <Melvin.Karen@epa.gov>
Sent: Tuesday, October 27, 2020 10:04 AM
To: Pratt, Stacie <Pratt.Stacie@epa.gov>
Cc: Armstrong, Joan <Armstrong.Joan@epa.gov>; Rogers, Rick <rogers.rick@epa.gov>; Mcaleer, Shane <Mcaleer.Shane@epa.gov>
Subject: RE: Travel Request

Approved!

KAREN MELVIN, DIRECTOR
ENFORCEMENT AND COMPLIANCE ASSURANCE DIVISION
US EPA, REGION 3
1650 ARCH STREET
PHILADELPHIA, PA 19103
215-814-3275

From: Pratt, Stacie <Pratt.Stacie@epa.gov>
Sent: Tuesday, October 27, 2020 10:00 AM
To: Melvin, Karen <Melvin.Karen@epa.gov>
Cc: Armstrong, Joan <Armstrong.Joan@epa.gov>; Rogers, Rick <rogers.rick@epa.gov>; Mcaleer, Shane <Mcaleer.Shane@epa.gov>
Subject: Travel Request

Hi Karen. Please see the below travel request.

Thank you.

Statute: CWA NPDES

Inspector: Shane McAleer (in-training)
Facility: Mobile Home Park WWTPs in Anne Arundel County
Contractor: Jake Albright (PG Environmental)
Planned Date: November 4, 2020

Justification: On July 1, 2020, EPA Region 3 sent an Information Requirement Letter to Horizon Land Management regarding effluent exceedances at three mobile home park wastewater treatment plants (WWTPs) in Anne Arundel County, Maryland. **Ex. 5 DP / Ex. 7(A)**

Ex. 5 DP / Ex. 7(A)

Ex. 5 DP / Ex. 7(A)

As an inspector-in-training, this presents a valuable opportunity to Shane to gain on-the-job, field experience for use towards credentialing requirements and provides context for case development. All attempts will be made to limit the number of individuals on-site for compliance monitoring, insure social distancing, limit or eliminate all indoor components of the inspection, and wear covid-19 PPE such as masks and glasses. Shane will be driving separately to the locations using his POV in accordance with COVID social distancing protocols, and will not be staying overnight. A COVID-specific JHA will be prepared by the participants and approved by management prior to the inspection.

Stacie Pratt, Section Chief
NPDES Section – 3ED32
Water Branch, Enforcement and Compliance Assurance Division
EPA Region 3
1650 Arch Street
Philadelphia, PA 19103
Work Phone: 215-814-5173
Work Cell: 267-761-0860
Email: pratt.stacie@epa.gov